

noon

	Sturgeon						Boat					
	Bank		Leg.	Over-	Leg.		Boat		Leg.	Over-	Leg.	
	Sec.	Anglers	Subs.	Rel.	Size	Kept	Anglers	Subs.	Rel.	Size	Kept	#Boats
Bonneville	1					CLOSED					CLOSED	
Camas/Washougal	2					CLOSED					CLOSED	
	3					CLOSED					CLOSED	
Vancouver	4					CLOSED					CLOSED	
Woodland	5					CLOSED					CLOSED	
Kalama	6					CLOSED					CLOSED	
Cowlitz	7					CLOSED					CLOSED	
Longview	8					CLOSED					CLOSED	
Cathlamet	9					CLOSED					CLOSED	
Chinook-Knappton (bank)	10					CLOSED					CLOSED	
Deep River (boat)						CLOSED					CLOSED	
Total		0	0	0	0	CLOSED	0	0	0	0	CLOSED	0

	Sec.	Shad Bank Anglers	Kept	Rel.		Boat Anglers	Kept	Rel.
Bonneville	1							
Camas/Washougal	2							

WDFW salmonid sport sampling summary for Washington Columbia River tributaries plus Bonneville Pool and Hanford Reach - Oct.7-13.

Area	Bank Anglers	Chinook Adults	Jacks	Adults	Coho Jacks	Steelhead Kept	Rel.	Other	Boat Anglers	Chinook Adults	Jacks	Adults	Coho Jacks	Steelhead Kept	Rel.
Cowlitz River (I-5 downstream)	77	0	0	6	0	0	0	0							
Kalama River	56	0	0	3	0	3	2	0	5	0	0	1	0	0	0
Lewis River	62	0	0	10	0	0	0	0	22	8	0	1	1	0	0
Washougal River	16	0	0	1	0	0	0	0							
Klickitat River	10	0	0	0	0	0	0	0	11	0	0	1	0	0	0
Yakima River	114	24	0	0	0	CLOSED		0						CLOSED	
Bonneville Pool									34	0	0	12	0	0	0
Hanford Reach	14	0	2	0	0	2	0	0	870	342	41	0	0	0	4

Other

0

0

0

0

0

WDFW sport sampling summaries for Southwest Washington Lakes -- Oct. 7-13

<u>Water</u>	<u>Bank Anglers</u>	<u>Catch</u>	<u>Boat Anglers</u>	<u>Catch</u>
No report this week.				

Harvest estimates as of June 30, 2002:			Guidelines:	%
Bonneville	(as of Aug 4) <sup>1</sup>	1241	1520	82
The Dalles	(as of July 12) <sup>1</sup>	715	700	102
John Day	(as of August 24) <sup>1</sup>	154	165	93

<sup>1</sup> Last day that season was open to retention. Bonneville re-opened on September 28.

## WDFW Mid-Columbia River mainstem sport sampling summary <sup>1</sup>

October 7 - 13, 2002

The following table is a summary of numbers of fish observed by samplers.  
Samplers generally observe from 10% - 25% of total harvest.

### Sturgeon

Reservoir	Bank Anglers	Subs	Leg Rel	Leg Kept	Over-size	2002 Cum Leg Kept	Boat Anglers	Subs	Leg Rel	Leg Kept	Over-size	2002 Cum Leg Kept	Combined Leg Kept
Bonneville Pool	10	4		1		54	1				1	88	142
The Dalles Pool						36						78	114
John Day Pool						3						22	25
Total	10	4		1		93	1				1	188	281

Salmonids	Bank Anglers	Wild Kept	Wild Rel	Hat Kept	Hat Rel	2002 Cum Leg Kept	Boat Anglers	Wild Kept	Wild Rel	Hat Kept	Hat Rel	2002 Cum Leg Kept	
Bonneville Pool	11			3		28	28			23		55	83
Chinook						8						17	25
Coho				1		1				23		25	26
Steelhead				2		19						13	32
The Dalles Pool						110						52	162
Chinook						96						5	101
Coho													
Steelhead						14						47	61
John Day Pool						136						88	224
Chinook						24						49	73
Coho													
Steelhead						112						39	151

Walleye	Bank Anglers	Rel	Kept	2002 Cum Leg Kept	Boat Anglers	Rel	Kept	2002 Cum Leg Kept
Bonneville Pool								3
The Dalles Pool				5				190
John Day Pool				1				161

Bass	Bank Anglers	Rel	Kept	2002 Cum Leg Kept	Boat Anglers	Rel	Kept	2002 Cum Leg Kept
Bonneville Pool				14				70
The Dalles Pool				73				42
John Day Pool				10				81

<sup>1</sup> Quantities include both Washington and Oregon samples.

		Sturgeon	Salmonids	Walleye	Bass
Bonneville	Effort (% of 6-week average)	228%	325%	none	none
	Catch Per Unit Effort	0.55	0.67	none	none
	Harvest Per Unit Effort	0.09	0.67	none	none
The Dalles	Effort (% of 6-week average)	none	none	none	none
	Catch Per Unit Effort	none	none	none	none
	Harvest Per Unit Effort	none	none	none	none
John Day	Effort (% of 6-week average)	none	none	none	none
	Catch Per Unit Effort	none	none	none	none
	Harvest Per Unit Effort	none	none	none	none